ANALYTICA CHIMICA ACTA, VOL. 232 (1990)

AUTHOR INDEX

Afkhami, A., see Safavi, A. 351
Agterdenbos, J.
—, Bussink, R.W. and Bax, D.
Role of pH in the stripping of gaseous selenium hydride from the reaction mixture in hydride generation atomic absorption spectrometry 405
Altmann, R.S., see Buffle, J. 225
Anderson, H.A.,
—, Hepburn, A., Miller, J.D., Stewart, M., Ferrier, R.C. and Walker, T.A.B.
Humic substances of surface waters. Litter and soil throughflow relationships in two forested ecosystems 3
Appriou, P., see Blain, S. 331
Ariese, F.
—, Gooijer, C., Velthorst, N.H. and Hofstraat, J.W.
Shpol'skii spectrofluorimetric determination of polycyclic aromatic hydrocarbons in biota 245

Bäckström, K.
— and Danielsson, L.-G.
Design of a continuous-flow two-step extraction sample work-up system for graphite furnace atomic absorption spectrometry 301
Bax, D., see Agterdenbos, J. 405
Berg, C.M.G. van den, see Van den Berg, C.M.G. 149
Berger, J., see Li, S. 409
Blain, S.
—, Appriou, P., Chaumeil, H. and Handel, H.
Application of a tetraaza macrocycle immobilized on an organic polymer to the determination of trace amounts of manganese in sea water 331
Blyshak, L.A.
—, Warner, I.M. and Patonay, G.
Evidence for non-inclusional association between α-cyclodextrin and polynuclear aromatic hydrocarbons 239
Boniforti, R., see Serra, G. 337
Brooks, R.R., see Hoashi, M. 317
Buffle, J.
—, Altmann, R.S. and Filella, M.
Effect of physico-chemical heterogeneity of natural complexants. Part II. Buffering action and role of their background sites 225
—, see Filella, M. 209
—, see Leppard, G.G. 107
Burnison, B.K., see Leppard, G.G. 107
Bussink, R.W., see Agterdenbos, J. 405

Caniato, R.
—, Filippini, R., Cappelletti, E.M., Scandola, M. and Traldi, P.
Direct analysis of thiophene-containing compounds in *Tagetes* (Asteraceae) leaf secretory cavities by tandem mass spectrometry 253
Cappelletti, E.M., see Caniato, R. 253
Chan, L.H., see Klinkhammer, G.P. 323
Chaumeil, H., see Blain, S. 331
Chen, T.K., see Ho, M.Y.K. 397
Cleven, R.F.M.J., see Van den Hoop, M.A.G.T. 141
Ćosović, B., see Plavšić, M. 131

Daly, P., see Van den Berg, C.M.G. 149
Danielsson, L.-G., see Bäckström, K. 301
Davis, D.M.
— and Kroutil, R.T.
Application of digital filters to process data for ion mobility spectrometry 261
De Wit, J.C.M.
—, Van Riemsdijk, W.H., Nederlof, M.M., Kinniburgh, D.G. and Koopal, L.K.
Analysis of ion binding on humic substances and the determination of intrinsic affinity distributions 189
Dong, S., see Gao, Z. 367
Dorsey, T., see Ikan, R. 11

Ephraim, J.H.
— and Marinsky, J.A.
Ultrafiltration as a technique for studying metal–humate interactions: studies with iron and copper 171
Evtimova, B.
— and Michaylova, V.
2-(5-Bromo-2-pyridylazo)-5-diethylaminophenol as a stationary phase in extraction chromatography. Preconcentration of copper, zinc and cadmium ions 393

Fahidy, T.Z.
— and Sioda, R.E.
Performance analysis of flow-through porous electrodes acting as electrolytic preconcentrators 401
Ferrier, R.C., see Anderson, H.A. 3
Filella, M., see Buffle, J. 225
—, Buffle, J. and Van Leeuwen, H.P.
Effect of physico-chemical heterogeneity of natural com-

Elsevier Science Publishers B.V.

plexants. Part I. Voltammetry of labile metal–fulvic complexes 209
Filippini, R., see Caniato, R. 253

Gamble, D.S., see Wang, Z.-D. 181
Gao, Z.
—, Li, P., Dong, S. and Zhao, Z.
Voltammetric determination of trace amounts of gold(III) with a carbon paste electrode modified with chelating resin 367
Gooijer, C., see Ariese, F. 245

Handel, H., see Blain, S. 331
Hartland, S., see Li, S. 409
Hepburn, A., see Anderson, H.A. 3
Ho, M.Y.K.
—, Keefer, L.K. and Chen, T.K.
Determination of 3-methyl-4,5-dihydro-1,2,3-oxadiazolium ion, a putative nitrosamine metabolite, by ion-pair chromatography with electrochemical detection 397
Hoashi, M.
—, Brooks, R.R. and Reeves, R.D.
Graphite furnace atomic absorption spectrometric determination of ruthenium in iron meteorites 317
Hofstraat, J.W., see Ariese, F. 245
Hoop, M.A.G.T. van den, see Van den Hoop, M.A.G.T. 141

Ikan, R.
—, Dorsey, T. and Kaplan, I.R.
Characterization of natural and synthetic humic substances (melanoidins) by stable carbon and nitrogen isotope measurements and elemental compositions 11

Kaplan, I.R. see Ikan, R. 11
Karube, I., see Seki, A. 267
Keefer, L.K., see Ho, M.Y.K. 397
Kihara, S., see Umetani, S. 293
Kinniburgh, D.G., see De Wit, J.C.M. 189
Klinkhammer, G.P.
— and Chan, L.H.
Determination of barium in marine waters by isotope dilution inductively coupled plasma mass spectrometry 323
Koochaki, Z.B., see Tang, L.X. 357
Koopal, L.K., see De Wit, J.C.M. 189
Koshima, H.
— and Onishi, H.
Separation of rhenium by extraction with crown ethers and flow-injection extraction–spectrophotometric determination with Brilliant Green 287
Kroutil, R.T., see Davis, D.M. 261
Kumamaru, T.
—, Okamoto, Y., Yamamoto, M., Obata, Y. and Onizuka, K.
High enrichment method for the determination of ultratrace levels of cobalt by liquid–liquid extraction using water/oil/water emulsions as liquid surfactant membranes 389

Langford, C.H., see Wang, Z.-D. 43, 181
Leeuwen, H.P. van, see Van den Hoop, M.A.G.T. 141
Leeuwen, J.P. van, see Filella, M. 209
Leppard, G.G.
—, Burnison, B.K. and Buffle, J.
Transmission electron microscopy of the natural organic matter of surface waters 107
Li, P., see Gao, Z. 367
Li, S.
—, Berger, J. and Hartland, S.
UV spectrophotometric determination of theobromine and caffeine in cocoa beans 409
Llaguno, E.C., see Wershaw, R.L. 31

Mackey, D.J.
—, and O'Sullivan, J.E.
Metal–organic interactions in sea water: an ecosystem experiment 161
Malcolm, R.L.
The uniqueness of humic substances in each of soil, stream and marine environments 19
Marinsky, J.A., see Ephraim, J.H. 171
— and Reddy, M.M.
Vapor-pressure osmometric study of the molecular weight and aggregation tendency of a reference-soil fulvic acid 123
Massoumi, A., see Safavi, A. 351
Matsui, M., see Umetani, S. 293
Michaylova, V., see Evtimova, B. 393
Miller, J.D., see Anderson, H.A. 3

Narinesingh, D.
— and Ngo, T.T.
Solid-supported single- and multi-enzyme amplified assays for clostridiopeptidase A 273
Nederlof, M.M., see De Wit, J.C.M. 189
Ngo, T.T., see Narinesingh, D. 273
Nimmo, M., see Van den Berg, C.M.G. 149

Obata, Y., see Kumamaru, T. 389
Ohshima, H.
—, Yamada, M. and Suzuki, S.
Flavin mononucleotide chemiluminescence in cationic micellar media for determination of chromium(III + VI) by flow injection 385
Okamoto, Y., see Kumamaru, T. 389
Onishi, H., see Koshima, H. 287
Onizuka, K., see Kumamaru, T. 389
O'Sullivan, J.E., see Mackey, D.J. 161

Pai, S.-C.
—, Yang, C.-C. and Riley, J.P.
Formation kinetics of the pink azo dye in the determination of nitrite in natural waters 345
Pant, B.C., see Wang, Z.-D. 43
Patonay, G., see Blyshak, L.A. 239

Pekov, G.
— and Petsev, N.
Adsorption of methyl red on sterchamol 413
Petsev, N., see Pekov, G. 413
Pickney, D.J., see Wershaw, R.L. 31
Plavšić, M.
—, Vojvodić, V. and Ćosović, B.
Characterization of surface-active substances during a semi-field experiment on a phytoplankton bloom 131

Reddy, M.M., see Marinsky, J.A. 123
Reeves, R.D., see Hoashi, M. 317
Riemsdijk, W.H. van, see De Wit, J.C.M. 189
Riley, J.P., see Pai, S.-C. 345

Safavi, A.
—, Afkhami, A. and Massoumi, A.
Spectrophotometric catalytic determination of ultra-trace amounts of selenium based on the reduction of resazurin by sulphide 351
Scandola, M., see Caniato, R. 253
Schirone, A., see Serra, G. 337
Seki, A.
—, Tamiya, E. and Karube, I.
Sensitive amplification immunoasssay for human IgG and anti-human IgG by using an enzyme cascade system 267
Senesi, N.
Molecular and quantitative aspects of the chemistry of fulvic acid and its interactions with metal ions and organic chemicals. Part I. The electron spin resonance approach 51
Molecular and quantitative aspects of the chemistry of fulvic acid and its interactions with metal ions and organic chemicals. Part II. The fluorescence spectroscopy approach 77
Serra, G.
—, Schirone, A. and Boniforti, R.
Fibre-optic pH sensor for sea-water monitoring using a single dye 337
Shimada, K., see Yamato, S. 281
Sioda, R.E., see Fahidy, T.Z. 401
Stewart, M., see Anderson, H.A. 3
Suzuki, S., see Ohshima, H. 385

Tamiya, E., see Seki, A. 267
Tang, L.X.
—, Koochaki, Z.B. and Vadgama, P.
Composite liquid membrane for enzyme electrode construction 357
Traldi, P., see Caniato, R. 253
Turner, D.R., see Van den Berg, C.M.G. 149

Umetani, S.
—, Kihara, S. and Matsui, M.
Adduct formation properties of mono- and bidentate phosphine oxide compounds in the liquid–liquid extraction of some divalent metals with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 293

Vadgama, P., see Tang, L.X. 357
Van den Berg, C.M.G.
—, Nimmo, M., Daly, P. and Turner, D.R.
Effects of the detection window on the determination of organic copper speciation in estuarine waters 149
Van den Hoop, M.A.G.T.
—, Van Leeuwen, H.P. and Cleven, R.F.M.J.
Study of the polyelectrolyte properties of humic acids by conductimetric titration 141
Van Leeuwen, H.P., see Filella, M. 209
—, see Van den Hoop, M.A.G.T. 141
Van Riemsdijk, W.H., see De Wit, J.C.M. 189
Velthorst, N.H., see Ariese, F. 245
Vicente-Beckett, V., see Wershaw, R.L. 31
Vojvodić, V., see Plavšić, M. 131

Walker, T.A.B., see Anderson, H.A. 3
Wang, Z.-D.
—, Pant, B.C. and Langford, C.H.
Spectroscopic and structural characterization of a Laurentian fulvic acid: notes on the origin of the color 43
—, Gamble, D.S. and Langford, C.H.
Interaction of atrazine with Laurentian fulvic acid: binding and hydrolysis 181
Warner, I.M., see Blyshak, L.A. 239
Weber, G.
Investigation of Cu(II)–catechin interactions by means of liquid chromatography with electrochemical detection 377
Wershaw, R.L.
—, Pickney, D.J., Llaguno, E.C. and Vicente-Beckett, V.
NMR characterization of humic acid fractions from different Phillipine soils and sediments 31
Wit, J.C.M. de, see De Wit, J.C.M. 189

Yamada, M., see Ohshima, H. 385
Yamamoto, M., see Kumamaru, T. 389
Yamato, S.
—, and Shimada, K.
Flow-injection spectrophotometric determination of acetylcoenzyme A with immobilized phosphotransacetylase 281
Yang, C.-C., see Pai, S.-C. 345

Zhao, Z., see Gao, Z. 367